


BRILLIANT "CHROME-LIKE"
NON-METAL PRODUCTS FOR THE
HEAVY TRUCKING INDUSTRY

H HENDRICKSON
AERO BRIGHT®



For The Road Ahead™

H HENDRICKSON



Hendrickson, the leading supplier of bumpers to the commercial trucking industry,

put the "shine" on the non-metal bumper market with the **HENDRICKSON AERO BRIGHT®** bumper. Just as Hendrickson metal bumpers are leading more

trucks down the road, adding HENDRICKSON AERO BRIGHT to the current line of products provides the most comprehensive range of bumpers (both metal and non-metal) to the trucking industry. Behind the brilliant "chrome-like" finish, HENDRICKSON AERO BRIGHT bumpers deliver durability and high impact resistance in a lightweight package not found on other non-metal bumpers available in the market today.



A "BRILLIANT" and innovative material

Hendrickson combined the industry's leading weatherable film technology and advanced lightweight engineered thermoplastics with a unique manufacturing process to create HENDRICKSON AERO BRIGHT. This technology enables Hendrickson to provide the best of both worlds — the styling features, durability and lightweight characteristics of traditional plastic coupled with the luster of chrome.

How durable is HENDRICKSON AERO BRIGHT?

Through extensive lab and field-testing including gravelometer and 500-hour salt spray, HENDRICKSON AERO BRIGHT withstood the rigorous environment of some of the most extreme driving conditions on the road today.

L & S Cartage quarry driver William Youngs, truck #232, has been running a HENDRICKSON AERO BRIGHT bumper for more than a year.

"It has proven to be extremely tough for the abuse it goes through. It's constantly in lime; it's constantly having stones bounced off it, and it looks brand new. You can't beat it."



HENDRICKSON AERO BRIGHT® — independent lab testing


Test	Test Method	Meets OEM Requirements*	Results*
Gravelometer	ASTM D 3170-03	Yes	ASTM rating 6B or better. Gravelometer testing resulted in 10-24 chips ranging in size from 1-3mm.
Dry Adhesion	ASTM D 3359-02 Method B	Yes	ASTM rating 5B. The edges of the cuts are completely smooth; none of the squares of the lattice are detached.
500 hour Humidity Resistance	ASTM D 4585-99	Yes	ASTM adhesion rating 5B. No signs of blistering or adhesion loss.
	ASTM D 1654-00		
336 hour UV Resistance/ Chalking	ASTM G 53-94	Yes	ASTM adhesion rating 5B. No change in visual gloss; no evidence of blistering or adhesion failure.
	ASTM D 4587-01		
500 hour Salt Spray	ASTM B 117-02	Yes	Creepback from scribe was 0.0mm; no visual change.
	ASTM D 1654-00 Method 1, air blow off		
Solvent Resistance	15 double rubs with firm pressure eight inches long at a rate of 100 double rubs per minute with Methyl Ethyl Ketone.	Yes	No evidence of color loss, softening or removal from substrate.
Chemical Resistance	A drop of each chemical listed below was placed on the surface and inspected for staining after 24 hours.	Yes	HENDRICKSON AERO BRIGHT was not affected by any of the following chemicals or solutions:
	Antifreeze Solution	Yes	50 percent mixture of Havoline ethylene glycol antifreeze
	Synthetic Detergent	Yes	Ultra Tide
	Soap	Yes	Bockstanz XLO antibacterial liquid hand soap
	Grease	Yes	STA-LUBE lithium-based general purpose grease
	Gasoline	Yes	BP regular unleaded gasoline 87 octane
	Diesel	Yes	Mobil grade 2 diesel fuel
	Hydraulic Fluid	Yes	Meyer type M1 hydraulic fluid

* All ratings and results based upon independent laboratory testing. Performance may vary depending upon vehicle operation, service, environmental conditions and other factors.

Actual HENDRICKSON AERO BRIGHT material

HENDRICKSON AERO BRIGHT construction

HENDRICKSON AERO BRIGHT is not chrome plated. It features a formable and weatherable clear coat with a layer of indium islands that allow the bright appearance to bend and flex without cracking.



What else can we do with HENDRICKSON AERO BRIGHT®?

The same technology used in HENDRICKSON AERO BRIGHT® bumpers provides Hendrickson customers with the unique opportunity to explore other avenues such as grill surrounds, light bezels, sunvisors and other truck components. Contact your OEM for availability of these products.



Grill surround and sunvisor applications



Grill surround

Build a bumper with our *Bumper Selection Guide*

This on-line tool can be used to build a bumper based on the criteria and options you choose. When you have made your option choices, a part number will automatically be displayed at the bottom of the *Bumper Selection Guide* window and an image representing the bumper will be displayed at the top of the bumper selection guide window.

See for yourself at www.hendrickson-intl.com/products/BAB_XML_Admin.

OEM cross-reference tool

You can also use the *Bumper Part Number Cross-reference Tool* to find a Hendrickson "All Makes" bumper that is a suitable substitute for the original OEM bumper.

Bumper Selection Guide	
Select Make:	Kenworth
Select Model:	T600
Bumper Material:	HENDRICKSON AERO BRIGHT® (HABD)
Select Style:	12" Set Back
Cutout Options:	Hitch hole(s), Vent hole(s)
Roadlight Options:	
Logo Options:	No Logo
FINISHED PART NUMBER:	0562BRT
<input type="button" value="PRINT"/> <input type="button" value="RESET FORM"/>	

For more information on HENDRICKSON AERO BRIGHT, call 800-356-6737 or visit www.hendrickson-intl.com

www.hendrickson-intl.com



Bumper and Trim
501 Caton Farm Road
Joliet, IL 60434 USA

800.356.6737
Fax 815.727.4086