

H PARTS LIST

AIRTEK® Front System for Volvo Vehicles


LIT NO: SP-174

DATE: May 2021

REVISION: K


CONTENTS

DESCRIPTION	PAGE	DESCRIPTION	PAGE
Parts Lists		• Single Height Control Valve for Vehicles built Prior to 3/05	7
■ AIRTEK with STEERTEK™ NXT Axle		• Air Spring with Support Plate Service Kit for Vehicles built Between 3/05 and 3/07	7
• Vehicles built AFTER July 2011	2	Tie Rod Selection Guide	8
■ AIRTEK with STEERTEK™ Axle		Notes	8
• Vehicles built Prior to July 2011	4		
• Vehicles built with Pre'07 Engine	6		




AIRTEK with STEERTEK™ NXT Axle
Vehicles built AFTER July 2011

AIRTEK with STEERTEK™ Axle
Vehicles built PRIOR to July 2011




■ Vehicles built AFTER July 2011





KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.	KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.
1		Air Spring	2		60961-628	Kingpin Bushing and Bearing Service Kit, Axle Set , Includes Kit Nos. 60961-629 & -630	
a	66349-002L	12K•12.5K			60961-629	LH Kingpin Bushing w/Composite Thrust Bearing Service Kit , Includes Key Nos. 22-27, 29 & Loctite	
b	60716-002L	13.2K•14.6K			60961-630	RH Kingpin Bushing w/Roller Thrust Bearing Service Kit , Includes Key Nos. 22-26, 28-29 & Loctite	
2		Air Spring Bracket	2	22	33117-000	Grease Zerk	2
	60757-000	12K•12.5K 266 Rail		23	68687-003	Grease Cap Assembly, Upper	2
	60976-000	12K•12.5K 300 Rail		24	68687-002	Grease Cap Assembly, Lower	2
a	60738-001	13.2K•14.6K 266 Rail		25	58909-001	Kingpin Bushing, <i>Replaces 78320-001</i>	4
b	60738-002	13.2K•14.6K 300 Rail			60961-631	Thrust Bearing Service Kit, Axle Set , Includes Kit Nos. 60961-632 & 60961-633	
3	64838-003L	Shock Absorber	2		60961-632	LH Composite Thrust Bearing Service Kit , Includes Key Nos. 26-27, 29 & Loctite	
4	59423-008	Upper Shock Bracket	2		60961-633	RH Roller Thrust Bearing Service Kit , Includes Key Nos. 26, 28-29 & Loctite	
5	53216-000	Leaf Spring Assembly w/Bushings Includes Key No. 6	2	26	68731-000	Kingpin Seal	4
6		**Steel Galvanized Liner	2	27	59828-000	LH Composite Thrust Bearing, <i>Replaces 77907-0001</i>	
7		*Front Spring Hanger	2	28	64256-000L	RH Roller Thrust Bearing	1
8	64486-000	Inboard Spring Adapter	2	29	60236-001	5/8"-11 UNC Socket Head Cap Screw	4
9	58258-009	M20 x 2.5-6G 230 mm Hex Bolt	2	Not Shown	60937-000	Loctite® (Red) Compound Tube	1
		LH Rear Shackle Bracket Service Kit, One Side Includes Key Nos. 10, 12-16		30	64246-000	ABS Sensor Sleeve	2
	60961-840	266 Frame Rail		31		Tie Rod Assembly, Includes Key Nos. 32-34 <i>See Selection Guide on Page 8</i>	1
	60961-841	300 Frame Rail		32		**7/8" Castile Nut	2
		RH Rear Shackle Bracket Service Kit, One Side Includes Key Nos. 11-16				Tie Rod End Service Kit, Axle Set , Includes LH and RH Tie Rod End Service Kits, <i>See Selection Guide on Page 8</i>	
	60961-842	266 Frame Rail				LH Tie Rod End Service Kit , Includes Key Nos. 33, 35-36, <i>See Selection Guide on Page 8</i>	
	60961-843	300 Frame Rail				RH Tie Rod End Service Kit , Includes Key Nos. 34-36, <i>See Selection Guide on Page 8</i>	
10		LH Rear Shackle Bracket w/Bushing (Cast Part No. 64153-001)	1	33		LH Tie Rod End, <i>See Selection Guide on Page 8</i>	1
	68548-001	266 Frame Rail		34		RH Tie Rod End, <i>See Selection Guide on Page 8</i>	1
	68554-001	300 Frame Rail		35	22962-007	7/8" Flat Washer	2
11		RH Rear Shackle Bracket w/Bushing (Cast Part No. 64153-002)	1	36	17800-004	Tie Rod Nut Cotter Pin	2
	68548-002	266 Frame Rail		37	60238-001	1/2"-13 UNC Square Head Bolt	2
	68554-002	300 Frame Rail		38	60240-000	1/2"-13 UNC Hex Jam Nut	2
	60961-635	Shackle Bracket Service Kit, Axle Set , Includes Key Nos. 12-16				U-bolt Clamp Group Service Kit, One Side , Includes Key Nos. 39-41 12K•12.5K and 13.2K•14.6K	
12	64794-000	Shackle Plate	4		64106-023	338 mm Ride Height	
13	58258-029	M20 x 2.5-6G 160 mm Hex Bolt, <i>Replaces 58258-008</i>	6		64106-024	366 mm Ride Height	
14	58246-029	M20 Flat Washer, <i>Replaces 58246-009</i>	12	39		M20 x 2.5-6G U-bolt, 12K•12.5K and 13.2K•14.6K	4
15	58259-003	M20 x 2.5-6H Locknut, <i>Replaces 58259-001</i>	6		65663-005	338 mm Ride Height, Bolt Length 128 mm	
16	60631-002	Shackle Stop Spacer	2		65663-006	366 mm Ride Height, Bolt Length 155 mm	
	68957-0XX	STEERTEK NXT Axle Assembly , Includes Key Nos. 17-21, 27-29, 31, 35-36, <i>Contact Hendrickson Tech Services for Part Number</i>	1	40	58246-018	M20 Flat Washer, <i>Replaces 58246-009</i>	8
17		Axle & Kingpin Assembly, 70.9 KPI	1	41	65072-001	M20 x 2.5-6H Nylocknut	8
	68956-003M	12K•12.5K, 338/366 mm Ride Ht., 4 1/4" Drop		42		LH Top Pad Assembly	1
	68956-004M	12K•12.5K, 338 mm Ride Ht., 5.36" Drop			69659-001	266 Frame Rail	
	68956-005M	13.2K•14.6K, 338/366 mm Ride Ht., 4 1/4" Drop			69660-001	300 Frame Rail	
	68956-006M	13.2K•14.6K, 338 mm Ride Ht., 5.36" Drop		43		RH Top Pad Assembly	1
18		LH Lower Steering Knuckle Assembly, Includes Key Nos. 24-26, 37-38	1		69659-002	266 Frame Rail	
	58900-407	<190 Ackermann STD Hub, Includes Key No. 30			69660-002	300 Frame Rail	
	58900-409	>190 Ackermann STD Hub, Includes Key No. 30		44	64080-000	Rubber Axle Stop	2
	58900-417	<190 Ackermann Unitized Hub		45		Dowel Pin	2
	58900-419	>190 Ackermann Unitized Hub			57159-004	338 mm Ride Height, 66.8 mm	
19		RH Lower Steering Knuckle Assembly, Includes Key Nos. 24-26, 37-38	1		57159-008	366 mm Ride Height, 94.8 mm	
	58900-408	<190 Ackermann STD Hub, Includes Key No. 30		46	64318-028	Axle Spacer, 366 mm Ride Height, 28 mm	2
	58900-410	>190 Ackermann STD Hub, Includes Key No. 30		47	64166-000	Air Spring Adapter for Top Pad 13.2K•14.6K Only	2
Not Shown	58900-418	<190 Ackermann Unitized Hub					
Not Shown	58900-420	>190 Ackermann Unitized Hub					
20		LH Upper Steering Knuckle Assembly, Includes Key Nos. 22-23, 25-26	1				
	60903-411	338 mm Ride Height					
	60903-413	366 mm Ride Height					
21	60904-402	RH Upper Steering Knuckle Assembly, Includes Key Nos. 22-23, 25-26	1				

■ Vehicles built with Post'07 Engine PRIOR TO July 2011






KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.	KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.
1		Air Spring	2	22	60904-002	RH Upper Steering Knuckle Assembly Includes Key Nos. 25, 28	1
a	66349-002L	12K•12.5K, <i>Replaces 60750-002L</i>			60961-040	Kingpin Bushing and Bearing Service Kit, Axle Set , Includes Kit Nos. 60961-009 & 60961-039	
b	60716-002L	13.2K•14.6K			60961-009	LH Kingpin Bushing w/Composite Thrust Bearing Service Kit , Includes Key Nos. 23-26, 28-30 & Loctite	
2		Air Spring Bracket	2		60961-039	RH Kingpin Bushing w/Roller Thrust Bearing Service Kit , Includes Key Nos. 23-25, 27-30 & Loctite	
	60757-000	12K•12.5K 266 Rail		23	59156-000	Grease Cap Assembly	4
	60976-000	12K•12.5K 300 Rail		24	58937-000	Retaining Ring	4
a	60738-001	13.2K•14.6K 266 Rail		25	58909-001	Kingpin Bushing, <i>Replaces 78320-001</i>	4
b	60738-002	13.2K•14.6K 300 Rail			60961-043	Thrust Bearing Service Kit, Axle Set , Includes Kit Nos. 60961-041 & 60961-042	
3	64838-002L	Shock Absorber, <i>Replaces 64838-001L</i>	2		60961-041	LH Composite Thrust Bearing Service Kit , Includes Key Nos. 26, 28-30 & Loctite	
4	64241-001	Upper Shock Bracket	2		60961-042	RH Roller Thrust Bearing Service Kit , Includes Key Nos. 27-30 & Loctite	
	60961-072	Front Leaf Spring Assembly Service Kit, One Side , Includes Key Nos. 5, 13		26	59828-000	LH Composite Thrust Bearing, <i>Replaces 77907-0001</i>	
5	64772-000	Leaf Spring Assembly with Bushings Includes Key No. 6 <i>Replaces 64485-000, 65215-000</i>	2	27	64256-000L	RH Roller Thrust Bearing	1
6		**Steel Galvanized Liner	2	28	58910-001	Kingpin Seal, <i>Replaces 58910-000</i>	4
7		*Front Spring Hanger	2	29	60236-001	5/8" Socket Head Cap Screw	4
8	64486-000	Inboard Spring Adapter, <i>Replaces 64162-000</i>	2	30		Kingpin Shim	As Req.
9	58258-009	M20 x 2.5-6G 230 mm Hex Bolt	2		60259-001X	0.005" Thickness (Pack of 4)	
		LH Rear Shackle Bracket Service Kit, One Side , Includes Key Nos. 10, 12-17			60259-002	0.047" Thickness	
	60961-683	266 Frame Rail		Not Shown	60937-000	Loctite (Red) Compound Tube	1
	60961-684	300 Frame Rail		31	64246-000	ABS Sensor Sleeve	2
		RH Rear Shackle Bracket Service Kit, One Side , Includes Key Nos. 11-17		32		Tie Rod Assembly, Includes Key Nos. 33-35 <i>See Selection Guide on Page 8</i>	1
	60961-685	266 Frame Rail		33		**5/8" Castle Nut	2
	60961-686	300 Frame Rail				Tie Rod End Service Kit, Axle Set , Includes LH & RH Tie Rod End Service Kits, <i>See Selection Guide on Page 8</i>	
10		LH Rear Shackle Bracket w/Bushing (Cast Part No. 64153-001)	1			LH Tie Rod End Service Kit , Includes Key Nos. 34, 36-37, <i>See Selection Guide on Page 8</i>	
	64175-001	266 Frame Rail				RH Tie Rod End Service Kit , Includes Key Nos. 35-37, <i>See Selection Guide on Page 8</i>	
	64176-001	300 Frame Rail		34		LH Tie Rod End, <i>See Selection Guide on Page 8</i>	1
11		RH Rear Shackle Bracket w/Bushing (Cast Part No. 64153-002)	1	35		RH Tie Rod End, <i>See Selection Guide on Page 8</i>	1
	64175-002	266 Frame Rail		36	22962-007	7/8" Flat Washer	2
	64176-002	300 Frame Rail		37	17800-004	Tie Rod Nut Cotter Pin	2
	60961-034	Shackle Bracket Service Kit, Axle Set , Includes Key Nos. 12-17		38	60238-001	1/2"-13 UNC Square Head Bolt	2
12	64159-000	Thrust Washer	4	39	60240-000	1/2"-13 UNC Hex Jam Nut	2
13	64794-000	Shackle Plate, <i>Replaces 64158-000</i>	4	40	59952-017	Top Axle Wrap, <i>Replaces 59952-013 & 59952-014</i>	2
14	58258-029	M20 x 2.5-6G 160 mm Hex Bolt, <i>Replaces 58258-008</i>	6	41	64722-003	Bottom Axle Wrap, <i>Replaces 64014-003 & 60622-003</i>	2
15	58246-029	M20 Flat Washer, <i>Replaces 58246-009</i>	12			U-bolt Clamp Group Service Kit, One Side , Includes Key Nos. 42-46	
16	58259-003	M20 x 2.5-6H Locknut, <i>Replaces 58259-001</i>	6		60961-185	12K•12.5K and 13.2K•14.6K 366 mm Ride Height, 4 1/4" Drop	
17	60631-000	Shackle Stop Spacer	2		60961-186	12K•12.5K, 338 mm Ride Ht., 4 1/4" Drop	
	60952-XXX	STEERTEK Axle Assembly, Includes Key Nos. 18-24, 26-27, 29-30, 32-43. <i>Contact Hendrickson Tech Services for Part Number</i>	1		60961-187	13.2K•14.6K, 338 mm Ride Ht., 4 1/4" Drop	
18		Axle & Kingpin Assembly, 70.9 KPI	1		60961-015	Top/Bottom Axle Wrap Liner Service Kit , One Side, Includes Key Nos. 42-43	
	64905-001	12K•12.5K, 338/366 mm Ride Height, 4 1/4" Drop, <i>Replaces 59924-001</i>		42	60508-000	Top Axle Wrap Liner	2
	64905-003	12K•12.5K, 338 mm Ride Ht., 5.36" Drop		43	59845-000S	Bottom Axle Wrap Liner	2
	64905-005	13.2K•14.6K, 338/366 mm Ride Ht., 4 1/4" Drop, <i>Replaces 59924-005</i>		44		M20 x 2.5-6G U-bolt • Vehicles built with Pre'07 Engine, <i>See Page 7</i>	4
	64905-007	13.2K•14.6K, 338 mm Ride Ht., 5.36" Drop			65663-002	12K•12.5K and 13.2K•14.6K 366 mm Ride Ht., Bolt Length 275 mm	
19		LH Lower Steering Knuckle Assembly, Includes Key Nos. 25, 28	1		65663-003	12K•12.5K 338 mm Ride Ht., Bolt Length 225 mm	
a	58900-007	<190 Ackermann STD Hub, Includes Key No. 31			65663-004	13.2K•14.6K 338 mm Ride Ht., Bolt Length 255 mm	
a	58900-009	>190 Ackermann STD Hub, Includes Key No. 31		45	58246-018	M20 Flat Washer, <i>Replaces 58246-009</i>	8
b	58900-017	<190 Ackermann Unitized Hub					
b	58900-019	>190 Ackermann Unitized Hub					
20		RH Lower Steering Knuckle Assembly Includes Key Nos. 25, 28	1				
	58900-008	<190 Ackermann STD Hub, Includes Key No. 31					
	58900-010	>190 Ackermann STD Hub, Includes Key No. 31					
Not Shown	58900-018	<190 Ackermann Unitized Hub					
Not Shown	58900-020	>190 Ackermann Unitized Hub					
21		LH Upper Steering Knuckle Assembly Includes Key Nos. 25, 28	1				
	60903-011	338 mm Ride Ht.					
	60903-013	366 mm Ride Ht.					

KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.	KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.
46	65072-001	M20 x 2.5-6H Nylocknut	8	51		RH Dowel Pin	1
47		LH Top Pad	1			• Vehicles equipped with dual HCVs built after 03/05	
	67266-001	266 Frame Rail, <i>Replaces 64517-001, 64172-001L, 64725-001L, 65493-001L</i>		57159-004		366 mm Ride Height, 66.8 mm	
	67300-001	300 Frame Rail, <i>Replaces 64173-001L, 64173-001L, 64727-001L, 65605-001L</i>				• Vehicles equipped with a single HCV built prior to 03/05	
48		RH Top Pad	1	57159-004		338 mm Ride Height, 66.8 mm	
		• Vehicles built with Pre'07 Engine, See Page 7		57159-008		366 mm Ride Height, 94.8 mm	
	67266-002	266 Frame Rail, <i>Replaces 64517-002, 64172-002L, 64725-002L, 65493-002L</i>		52		LH Front Axle Spacer	1
	67300-002	300 Frame Rail, <i>Replaces 64161-002, 64173-002L, 64727-002L, 65605-002L</i>				• Vehicles equipped with dual HCVs built after 03/05	
49	64080-000	Rubber Axle Stop	2	64318-028		366 mm Ride Height, 28 mm	
50		LH Dowel Pin	1			• Vehicles equipped with a single HCV built prior to 03/05	
		• Vehicles equipped with dual HCVs, built after 03/05		64318-012		338 mm Ride Height, 12 mm	
	57159-004	366 mm Ride Height, 66.8 mm		64318-020		338 mm Ride Height, 20 mm	
		• Vehicles equipped with a single HCV built prior to 03/05		64318-040		366 mm Ride Height, 40 mm	
	57159-007	338 mm Ride Height, 79.5 mm		64318-048		366 mm Ride Height, 48 mm	
	57159-012	338 mm Ride Height, 85.9 mm		53		RH Front Axle Spacer	1
	57159-009	366 mm Ride Height, 107.2 mm				• Vehicles equipped with dual HCVs built after 03/05	
	57159-013	366 mm Ride Height, 115 mm		64318-028		366 mm Ride Height, 28 mm	
				54	64166-000	Air Spring Adapter for Top Pad 13.2K•14.6K Only	2

■ Vehicles built with STEERTEK axle and Pre'07 Engine


Top Pad with Straight Hex Bolt



KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.
1	59952-017	Top Axle Wrap	2
2	64722-003	Bottom Axle Wrap	2
		Straight Bolt Clamp Group Service Kit, One Side, Includes Key Nos. 3-7	
		• Vehicles equipped with dual HCVs, Built after 03/05	
		12K•12.5K and 13.2K•14.6K	
	60961-035	338 mm Ride Ht.	
	60961-036	366 mm Ride Ht.	
		• Vehicles equipped with a single HCV, Built prior to 03/05	
	60961-035	12K•12.5K, 338 mm Ride Ht.	
	60961-036	12K•12.5K, 366 mm Ride Ht.	
	60961-037	13.2K•14.6K, 338 mm Ride Ht.	
	60961-038	13.2K•14.6K, 366 mm Ride Ht.	
3	60508-000	Top Axle Wrap Liner	2
4	59845-000S	Bottom Axle Wrap Liner	2
5		M20 x 2.5-6G Hex Bolt	8
		• Vehicles equipped with dual HCVs, Built after 03/05	
		12K•12.5K and 13.2K•14.6K	
	58258-007	338 mm Ride Ht., Bolt Length 220 mm	
	58258-011	366 mm Ride Ht., Bolt Length 250 mm	
		• Vehicles equipped with a single HCV, Built prior to 03/05	
		12K•12.5K	
	58258-009	338 mm Ride Ht., Bolt Length 230 mm	
	58258-010	366 mm Ride Ht., Bolt Length 260 mm	
		13.2K•14.6K	
	58258-007	338 mm Ride Ht., Bolt Length 220 mm	
	58258-011	366 mm Ride Ht., Bolt Length 250 mm	
6	58246-018	M20 Flat Washer, <i>Replaces 58246-009</i>	8
7	65072-001	M20 x 2.5-6H Nylocknut	8
8		Top Pad Assembly, (Pre '07 Engine Top Pads are obsolete. If top pad replacement is required, replace with current top pad and U-bolts, See Key Nos. 44,47,48)	2
9	64080-000	Rubber Axle Stop	2



■ Single Height Control Valve for Vehicles built prior to 03/05



KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.
		Single HCV, Link Mount & Linkage Assembly, Includes Key Nos. 1-9	1
	64089-000L	12K•12.5K	
	64094-000L	13.2K•14.6K	
1	64480-000	Single Height Control Valve Bracket	1
	64481-000	12K•12.5K	
		13.2K•14.6K	
	59427-006	Single Height Control Valve & Linkage Assembly, Includes Key Nos. 2-9	1
2	59428-004	Height Control Valve Linkage	1
3	64298-000	M8 x 1.25-6H Hexnut	2
4	59169-002	M8 Link Stud	2
5	64297-000	M8 x 1.25-6H Locknut	1
6	58246-034	M8 Flat Washer, <i>Replaces 58246-012</i>	1
7	59935-003	Height Control Valve	1
8	22962-052	¼" Flat Washer, <i>Replaces 22962-028</i>	2
9	77581-000	M6 Locknut, <i>Replaces 49983-000</i>	2


Dual Height Control Valve Conversion Service Kits are available to convert a single height control valve to dual height control valves configuration.

Dual Height Control Valve and Linkage Service Kit

60961-101	12K•12.5K Capacity
60961-102	13.2K•14.6K Capacity

■ Air Spring with Support Plate for Vehicles built between 03/05 and 06/07 equipped with dual height control valves

Air Spring with Support Plate
Service Kit No. 60961-182



Vehicles built **BETWEEN** 03/05 and 06/07, equipped with dual height control valves **must use** Air Spring with Support Plate Service Kit No. 60961-182

KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.
1	67304-002	Air Spring (12.5K)	1
2	67149-000	Support Plate	1

■ Tie Rod Selection Guide, Straight Tie Rods

		AXLE MODEL	ACKERMANN	TIE ROD ASSEMBLY PART NO.	TIE ROD END PART NO.	TIE ROD END SERVICE KIT NO.	
12K•12.5K	1 1/8" THREADS	Vehicles built AFTER January 2014					
		STEEERTEK NXT	>190	76877-002	70995-001 (LH) 70995-002 (RH)	60961-734 (Axle Set) 60961-736 (LH) 60961-741 (RH)	
			<190	76877-005			
		***Vehicles built PRIOR TO January 2014					TIE ROD ASSEMBLY REPLACEMENT PART NUMBER
		STEEERTEK NXT STEEERTEK	>190	60239-002	Tie rod end kits are no longer available for these assembly numbers, requires complete tie rod assembly replacement.	76877-002	
	<190		60239-005	76877-005			
13.2K•14.6K	1 1/4" THREADS	Vehicles built AFTER January 2014					
		STEEERTEK NXT	>190	76879-001	76876-001 (LH) 76876-002 (RH)	60961-735 (Axle Set) 60961-742 (LH) 60961-743 (RH)	
			<190	76879-002			
		Vehicles built up to January 2014					
		STEEERTEK NXT & STEEERTEK	>190	64006-001	64002-001 (LH) 64002-002 (RH)	60961-011 (Axle Set) 60961-027 (LH) 60961-028 (RH)	
	<190		64006-002				

Hendrickson supplies different tie rod assemblies. Locate the tie rod assembly part number on the tie rod tube to help determine what tie rod end kit or complete tie rod assembly replacement to use for service.

NOTE: * Not supplied by Hendrickson, used for reference only. Refer to the vehicle manufacturer for more information. Hendrickson is not responsible for components supplied by vehicle manufacturer. For assistance with maintenance and rebuild instructions on these components see vehicle manufacturer.

** Item included in kit/assembly only, part not sold separately.

Hendrickson **AIRTEK Ride Height Gauges for Volvo Vehicles** can be obtained on-line at www.hendrickson-intl.com/litform

- Height Gauge AFTER July 2011 for 12K•12.5K•13.2K•14.6K Capacity – Literature No. 45745-359
- Height Gauges PRIOR TO July 2011 for 12K•12.5K Capacity – Literature No. 45745-170 and 13.2K•14.6K Capacity – Literature No. 45745-195

This is a general parts list to provide directional information. Components may vary by model. Questions in regards to parts, contact Hendrickson Truck Parts at 1.866.755.5968 (Toll-free U.S. and Canada), 630.910.2800 (Outside U.S. and Canada) or email: truckparts@hendrickson-intl.com.

Actual product performance may vary depending upon vehicle configuration, operation, service and other factors.

All applications must comply with applicable Hendrickson specifications and must be approved by the respective vehicle manufacturer with the vehicle in its original, as-built configuration.

Contact Hendrickson for additional details regarding specifications, applications, capacities, and operation, service and maintenance instructions.

Call Hendrickson at 1.866.755.5968 (toll-free) or 1.630.910.2800 for additional information.



www.hendrickson-intl.com

TRUCK COMMERCIAL VEHICLE SYSTEMS
800 South Frontage Road
Woodridge, IL 60517-4904 USA
1.866.755.5968 (Toll-free U.S. and Canada)
1.630.910.2800 (Outside U.S. and Canada)
Fax 1.630.910.2899

SP-174 Rev K 05-21

© 2002-2021 Hendrickson USA, L.L.C. All Rights Reserved. All trademarks shown are owned by Hendrickson USA, L.L.C., or one of the affiliates, in one or more countries.

Information contained in this literature was accurate at the time of publication. Product changes may have been made after the copyright date that are not reflected.

Printed in United States of America