PARTS LIST


RT™/ RTE™ Rear Suspension

LIT NO: SP-168
DATE: January 2017 **REVISION:** F


CONTENTS

DESCRIPTION	PAGE
Parts Lists	
■ RT/RTE 34K • 40K • 46K	2
■ RT/RTE 48K • 52K	4
■ RT 65K • 70K Heavy-duty	6
Selection Guides	
■ Cross Tubes	8
■ Top Pad Bolts	8
■ Corresponding Center Bushing End Plugs for Cross Tube Replacement	8
Notes	8
Special Tools	9


RT/RTE 34K • 40K • 46K




RT/RTE 48K • 52K




RT 65K • 70K Heavy-duty



HENDRICKSON
The World Rides On Us®



Hanger #1
Hanger #2
Hanger #3
RTE Only
"A"
Saddle Assembly
Leg Height
"B"
Leaf Spring Assembly
Part Number location

KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.
1		Equalizing Beam Assembly *See Selection Guide 45745-147*	2
2		Cross Tube, *See Selection Guide on Page 8,*	1
	44642-XXX	RT/RTE 34K, 1 15/16" Diameter	
	44643-XXX	RT/RTE 34K-46K, 2 7/16" Diameter	
3		Rubber Center Bushing, *See Center Bushing End Plug Selection Guide on Page 8*	2
	06664-000L	RT/RTE 34K Welded End Plug	
	22279-000L	RT/RTE 34K w/Loose End Plug	
	49400-000L	RT/RTE 34K-40K Welded End Plug	
	49600-000L	RT/RTE 34K-40K w/Loose End Plug	
		• Optional for RT 34K-40K, *Requires Transverse Rods*	
	29483-005L	RT/RTE 46K Welded End Plug	
	34013-097L	RT/RTE 46K w/Loose End Plug	
4		**Bronze Center Bushing Service Kit, Two Beams** Includes Key Nos. 5-9	
	30436-000L	RT/RTE 34K	
	30437-000L	RT/RTE 34K-46K	
5	30240-001	Bronze Center Bushing - RT/RTE 34K	2
	30240-002L	Bronze Center Bushing - RT/RTE 34K-46K	2
6	14684-000	Beam Center Sleeve - RT/RTE 34K	2
	14685-000L	Beam Center Sleeve - RT/RTE 34K-46K	2
7	30333-000	Beam Center Seal - RT/RTE 34K	4
	30334-000	Beam Center Seal - RT/RTE 34K-46K	4
8	32364-000	Thrust Washer - RT/RTE 34K	8
	32365-000	Thrust Washer - RT/RTE 34K-46K	8
9	30087-000	Grease Fitting	As Req. 2
		Bar Pin End Bushing Kit, One Wheel End	
10	34013-087L	Non-Shim Type, Includes Key Nos. 13a, 14	
11	34013-088L	Shim Type, Includes Key Nos. 12a, 13b, 14	
Not Shown	34013-188L	Rotating Shim Type, Includes Key Nos. 12a, 13c, 14	
12		Bar Pin Shim	8
a	50131-000	0.25" / 0.12" Standard	
b	50130-000	0.19" / 0.19" Optional	
c	57026-000	0.375" Optional flat shim	
13		**Bar Pin End Bushing	4
a		Non-Shim Type	
b		Shim Type	
c		Rotating Bar Pin, Shim Type (Not Shown)	
14	34013-104	**Bar Pin End Bushing Fastener Kit, One Wheel End,** Includes Key Nos. 15-17	
15		**1"-8 UNC x 6" Hex Bolt	8
16		**1" Hardened Washer	16
17		**1"-8 UNC Locknut	8
18		**Rubber End Bushing and Adapter Service Kit, One Wheel End**	
	34013-049L	RT/RTE 34K-40K, Includes Key Nos. 19a, 20	
	34013-073L	RT/RTE 46K, Includes Key Nos. 19b, 20	
19		**Adapter w/o Bushing Service Kit, One Wheel End**	
a	45000-007L	RT/RTE 34K-40K	
b	21140-034L	RT/RTE 46K	
20	45900-000L	Rubber End Bushing	4
21		Forward Spring Hanger #1, Double Lock Pin *See Selection Guide 45745-038*	2
22	43146-000L	Pin - 1 3/8" Diameter Double Lock	2
23	33117-000	Lube Fitting	2
		Spring Mounting Service Kit	
	29828-035L	One Hanger, Includes Key Nos. 24-26	
	29828-034	Vehicle Set, Includes Key Nos. 22-26, 30, 32	
24	24531-009	1/2"-13 UNC x 4" Bolt	4
25	22962-011	1/2" Hardened Washer	8
26	49846-000	1/2"-13 UNC Locknut	4
27	30057-008L	Spring Eye Bushing, 1 3/8" I.D.	2
28		Rear Spring Hanger #2, *See Selection Guide 45745-038*	2
	29828-023	**Rebound Bolt & Spacer Kit, One Hanger** Includes Key Nos. 29-32	
29	22962-011	1/2" Hardened Washer	4
30	24531-005	1/2"-13 UNC x 6 1/2" Bolt	2
31	49846-000	1/2"-13 UNC Locknut	2
32	00194-000	Rebound Bolt Spacer	2
33		RTE Extended Leaf Spring Hanger #3, *See Selection Guide 45745-038*	2
34		Spring Assembly	2
a	53383-000	RT 34K Standard Duty, *Replaces 58193-000*	
a	53384-000	RT 34K Light Duty, *Replaces 58194-000*	
a	45027-000	RT 40K	
a	47057-000	RT 46K	
b	53382-000	RTE 34K, *Replaces 58192-000*	
b	45121-000	RTE 40K	
b	45322-000	RTE 46K	
35	66662-001	5/8" Center Bolt, Cut to Length, *Replaces 05069-000*	2
36	35064-000	Top Pad	2
	35370-002	**Top Pad Set Screw Service Kit, One Set** Includes Key Nos. 37-39	
37	06813-000	3/4"-10 UNC Square Head Set Screw	4
38	17339-000	3/4" Set Screw Lock Washer	4
39	17342-000	3/4"-10 UNC Set Screw Locknut	4
40	30550-XXX	1"-14 UNS Top Pad Bolt, *See chart on Page 8*	8
41	22962-006	1" Hardened Washer	16
42	08017-000	1"-14 UNS Locknut	8
43		Saddle Assembly, See Leg Height-Dim. "A" Includes Key Nos. 44-47	2
	31017-023	RT/RTE 34K, 6 3/16" Height, (Casting No. 46529)	
	31017-025L	RT/RTE 34K, 7 3/16" Height (Casting No. 46138)	
	31017-022L	RT/RTE 34K-40K, 6" Height (Casting No. 57167)	
	31017-109L	RT/RTE 34K-40K, 7 3/16" Height (Casting No. 57143)	
	31017-096L	RT/RTE 46K, 6" Height (Casting No. 57457)	
	31017-110L	RT/RTE 46K, 7 3/16" Height (Casting No. 57155)	
44	06662-000	Saddle Cap RT/RTE 34K	4
	58795-000	Saddle Cap RT/RTE 34K-46K	4
45		7/8"-14 UNF Saddle Cap Stud	8
	07002-000	RT/RTE 34K	
	06696-000	RT/RTE 34K-46K	
46	22962-002	7/8" Hardened Washer	8
47	04842-000	7/8"-14 UNF Saddle Cap Nut	8
48		***One-piece Longitudinal Torque Rod Assembly, Straddle/Straddle, Specify Length in mm	
		ULTRA ROD®, Includes Key No. 50a	
	62000-XXX	Front	1
	62001-XXX	Rear	1
		ULTRA ROD® PLUS™, Includes Key No. 50b	
	72000-XXX	Front	1
	72001-XXX	Rear	1
49		****One-piece Transverse Torque Rod Assembly, Straddle/Taper, Specify Length in mm	2
	62350-XXX	ULTRA ROD, Includes Key Nos. 50a-51a	
	72350-XXX	ULTRA ROD PLUS, Includes Key Nos. 50b-51b	
	92350-XXX	XTRB, Includes Key Nos. 50c-51c	
50		Straddle Bushing	4
a	47691-000L	ULTRA ROD	
b	64400-002L	ULTRA ROD PLUS	
c	66649-002L	XTRB	
51		Taper Bushing	2
a	64697-000L	ULTRA ROD	
b	64400-004L	ULTRA ROD PLUS	
c	66649-004L	XTRB	
		Two-Piece Torque Rod Assembly with Bushings Service Kit	
	60218-000	ULTRA ROD Straddle/Straddle	
	60215-000	ULTRA ROD Straddle/Taper	
	65781-000	ULTRA ROD PLUS Straddle/Taper	
	65781-001	XTRB Straddle/Straddle	
	65781-002	XTRB Straddle/Taper	
52	22186-000	Torque Rod Bracket	4
53	45045-003	Back-up Plate (for Torque Rod)	2
54		**Transverse Rod Axle Bracket	2
55	49689-000L	Torque Rod Shim	As Req.
Not Shown	70867-001	P-80 Lubricant - 10 ml Per Rubber Bushing	1


Hanger #1
Hanger #2
Hanger #3
RTE Only
"B"
"A"
Saddle Assembly
Leg Height
Leaf Spring Assembly
Part Number location

KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.
1		Equalizing Beam Assembly, *See Selection Guide 45745-147*	2
a		Fabricated Beam	
b		Cast Beam	
2		Cross Tube - Dia. 2 7/16", *See Selection Guide on Page 8,*	1
	44643-XXX	RT/RTE 48K	
	07622-XXX	RT/RTE 52K	
3		Rubber Center Bushing, *Requires Transverse Rods See Center Bushing End Plug Selection Guide on Page 8*	2
	29483-005L	Welded End Plug	
	34013-097L	Loose End Plug	
4	30437-000L	**Bronze Center Bushing Service Kit, Two Beams** Includes Key Nos. 5-9	
5	30240-002L	Bronze Center Bushing	2
6	14685-000L	Beam Center Sleeve	2
7	30334-000	Beam Center Seal	4
8	32365-000	Thrust Washer	8
9	30087-000	Grease Fitting	As Req. 2
		Bar Pin End Bushing Kit, One Wheel End	
10	34013-087L	Non-Shim Type, Includes Key Nos. 13a, 14	
11	34013-088L	Shim Type, Includes Key Nos. 12a, 13b, 14	
Not Shown	34013-188L	Rotating Shim Type, Includes Key Nos. 12a, 13c, 14	
12		Bar Pin Shim	8
a	50131-000	0.25" / 0.12" Standard	
b	50130-000	0.19" / 0.19" Optional	
c	57026-000	0.375" Optional flat shim	
13		**Bar Pin End Bushing	4
a		Non-Shim Type	
b		Shim Type	
c		Rotating, Shim Type (Not Shown)	
14	34013-104	**Bar Pin End Bushing Fastener Kit, One Wheel End,** Includes Key Nos. 15-17	
15		**1"-8 UNC x 6" Hex Bolt	8
16		**1" Hardened Washer	16
17		**1"-8 UNC Locknut	8
18		**Rubber End Bushing and Adapter Service Kit, One Wheel End**	
	34013-050L	5¾" Length, Includes Key Nos. 19a, 20a	
	34013-051L	6" Length, Includes Key Nos. 19b, 20b	
19		**End Bushing Adapter Service Kit, One Wheel End**	
a	21140-034L	5¾" Length	
b	21140-033L	6" Length	
20		Rubber End Bushing	4
a	29878-001L	5¾" Length	
b	45407-000L	6" Length	
21		Forward Spring Hanger #1, Double Lock Pin *See Selection Guide 45745-038*	2
22	43146-000L	Pin - 1⅜" Diameter Double Lock	2
23	33117-000	Lube Fitting	2
		Spring Mounting Service Kit	
	29828-035L	One Hanger, Includes Key Nos. 24–26	
	29828-034	Vehicle Set, Includes Key Nos. 22-26, 30, 32	
24	24531-009	½"-13 UNC x 4" Bolt	4
25	22962-011	½" Hardened Washer	8
26	49846-000	½"-13 UNC Locknut	4
27	30057-008L	Spring Eye Bushing 1⅜" I.D.	2
28		Rear Spring Hanger #2, *See Selection Guide 45745-038*	2

KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.
	29828-023	**Rebound Bolt & Spacer Service Kit, One Hanger** Includes Key Nos. 29-32	
29	22962-011	½" Hardened Washer	4
30	24531-005	½"-13 UNC x 6½" Bolt	2
31	49846-000	½"-13 UNC Locknut	2
32	00194-000	Rebound Bolt Spacer	2
33		RTE Extended Leaf Spring Hanger #3, *See Selection Guide 45745-038*	2
34		Spring Assembly	2
a	47057-000	RT 48K-52K	
b	45322-000	RTE 48K	
35	66662-001	⅝" Center Bolt, Cut to Length, *Replaces 05069-000*	2
36	35064-000	Top Pad	2
	35370-002	**Set Screw Service Kit, One Set** Includes Key Nos. 37-39	
37	06813-000	¾"-10 UNC Square Head Set Screw	4
38	17339-000	¾" Set Screw Lock washer	4
39	17342-000	¾"-10 UNC Set Screw Locknut	4
40	30550-XXX	1"-14 UNS Top Pad Bolt, *See chart on Page 8*	8
41	22962-006	1" Hardened Washer	16
42	08017-000	1"-14 UNS Locknut	8
43		Saddle Assembly, Specify Leg Height-Dim. "A" Includes Key Nos. 44-47	2
	31017-053	6" Height, (Casting No. 32796)	
	31017-077	7 3/16" Height, (Casting No. 47476 or 47665)	
	31017-108	11" Height, (Casting No. 50965)	
44	58795-000	Saddle Cap, *Replaces 48545-000*	4
45	06696-000	⅞"-14 UNF Saddle Cap Stud	8
46	22962-002	⅞" Saddle Cap Washer	8
47	04842-000	⅞"-14 UNF Saddle Cap Nut	8
48		***One-piece Longitudinal Torque Rod Assembly, Straddle/Straddle, Specify Length in mm	
		ULTRA ROD, Includes Key No. 50a	
	62000-XXX	Front	1
	62001-XXX	Rear	1
		ULTRA ROD PLUS, Includes Key No. 50b	
	72000-XXX	Front	1
	72001-XXX	Rear	1
49		****One-piece Transverse Torque Rod Assembly, Straddle/Taper, Specify Length in mm	2
	62350-XXX	ULTRA ROD, Includes Key Nos. 50a–51a	
	72350-XXX	ULTRA ROD PLUS, Includes Key Nos. 50b–51b	
	92350-XXX	XTRB, Includes Key Nos. 50c–51c	
50		Straddle Bushing	6
a	47691-000L	ULTRA ROD	
b	64400-002L	ULTRA ROD PLUS	
c	66649-002L	XTRB	
51		Taper Bushing	2
a	64697-000L	ULTRA ROD	
b	64400-004L	ULTRA ROD PLUS	
c	66649-004L	XTRB	
		Two-Piece Torque Rod Assembly with Bushings Service Kit	
	60218-000	ULTRA ROD Straddle/Straddle	
	60215-000	ULTRA ROD Straddle/Taper	
	65781-000	ULTRA ROD PLUS Straddle/Taper	
	65781-001	XTRB Straddle/Straddle	
	65781-002	XTRB Straddle/Taper	
52	22186-000	Torque Rod Bracket	4
53	45045-003	Back-up Plate (for Torque Rod)	2
54		*Transverse Rod Axle Bracket	2
55	49689-000L	Torque Rod Shim	As Req.
Not Shown	70867-001	P-80 Lubricant - 10 ml Per Rubber Bushing	1


Hanger #1
Hanger #2
"A"
Saddle Assembly
Leg Height
"B"
Leaf Spring Assembly
Part Number location

KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.
1		Equalizing Beam Assembly *See Selection Guide 45745-147*	2
2	10397-XXX	Cross Tube, *See Selection Guide on Page 8*	4
3	10366-000L	Rubber Center Bushing	2
4	45374-000	**Bronze Center Bushing Service Kit, Two Beams** Includes Key Nos. 5-9	
5	30240-005	Bronze Center Bushing	2
6	25102-000	Beam Center Sleeve	2
7	31577-000	Beam Center Seal	4
8	45261-000	Thrust Washer	4
9	30087-000	Grease Fitting	As Req. 2
10		**Rubber End Bushing and Adapter Service Kit, Tandem Set**	
	60872-010	for 6" Bushing, Includes Key Nos. 12a and 21140-007 Fastener Kit	
	60872-011	for 7" Bushing, Includes Key Nos. 12b, and 21140-004L Fastener Kit	
		Rubber End Bushing and Adapter Service Kit, One Wheel End	
	34013-052	for 6" Bushing, Includes Key Nos. 12a and 21140-007 Fastener Kit	
	34013-110	for 7" Bushing, Includes Key Nos. 12b, and 21140-004L Fastener Kit	
	34013-072	**Rubber End Bushing and Tube/Nut Service Kit, One Wheel End,** Includes Key Nos. 13 and 21140-006 Fastener Kit	
11		**Adapter Fastener Service Kit, One Wheel End,** (Bushing not included)	
	21140-007	for 6" Bushing includes 13, 15-16, 23	
	21140-004L	for 7" Bushing includes 13, 15-16, 18, 23,	
	21140-027	for 6" Bushing includes 13-16, 18, 23	
	21140-031	for 6" Bushing includes 13, 15-16, 19, 23	
	21140-052	for 6" Bushing includes 13, 15-16, 18, 23	
	21140-026	for 7" Bushing includes 13, 15-16, 18, 23	
	21140-043	for 7" Bushing includes 13, 15-18, 23	
12		Rubber End Bushing	4
a	10363-000L	6" Length	
b	10364-000L	7" Length	
13	17491-022	1⅞" 12 UNF Slotted Nut	8
14		Adapter Tube	4
15		Beam End Shaft	4
16		Beam End Adapter	8
17	46628-000	1⅞" Hex Nut (Not Shown)	4
18	45456-000	Thrust Washer (Not Shown)	4
19	48852-000	Split Adapter (Not Shown)	8
20	21140-006	**Threaded Tube/Nut Service Kit, One Wheel End** Includes Key Nos. 21-23	
21	10371-000	3" - 12 UNF - 2B Nut	8
22	10372-000	Threaded Tube	4
23	17800-010	Cotter Pin	16
24		Forward Spring Hanger #1, *See Selection Guide 45745-038*	*2*
	29828-032	**Spring Mounting Service Kit, One Hanger**, Includes Key Nos. 25, 26, 28-30, 33-36	
25	45797-000L	Pin 1½" Diameter (Double Lock)	2
26	33117-000	Lube Fitting	As Req.

KEY NO.	PART NO.	DESCRIPTION	VEHICLE QTY.
27	46825-001	**Forward Hanger Spring Mounting Service Kit, One Hanger,** Includes Key Nos. 28-30	
28	24531-009	½"-13 UNC x 4" Bolt	4
29	22962-011	½" Hardened Washer	8
30	49846-000	½"-13 UNC Locknut	4
31		Spring Eye Bushing	2
	22285-000	Bronze 1½" I.D.	
	50592-000	Steel Bushing 1½" I.D.	
32		Rear Spring Hanger #2, *See Selection Guide 45745-038*	2
	29828-033	**Rear Hanger Spring Mounting Service Kit, One Hanger,** Includes Key Nos. 33-36	
33	21867-023	¾"-16 UNF x 6½" Bolt	2
34	22962-001	¾" Flat Washer	4
35	30191-000	¾"-16 UNF Locknut	2
36	02276-000	Rebound Bolt Spacer	2
37		Spring Assembly, Includes Key No. 6	2
	27535-000	Spring Rate 27,300 lb.	
	02056-000	Spring Rate 29,400 lb. (Bronze Bushing)	
	58596-000	Spring Rate 29,400 lb. (Steel Eye Bushing)	
	57961-000	Spring Rate 44,400 lb.	
38	66662-001	⅝" Center Bolt, Cut to Length, *Replaces 05069-000*	2
39		Saddle Assembly, Specify Height-Dim. "A" Includes Key Nos. 41-44	2
	31017-004	7⅛" Ht. (Casting No. 15784, 46895 or 48497)	
	31017-071	9⅜" Ht. (Casting No. 15784 or 46673-001)	
	31017-070	10⅛" Ht. (Casting No. 15784 or 46673-002)	
	31017-069	11⅛" Ht. (Casting No. 15784 or 46673-002)	
40	30550-XXX	1"-14 UNS Top Pad Bolt, *See chart on Page 8*	8
41	15785-000	Saddle Cap	4
42	10948-000	1"-14 UNS Saddle Cap Stud	8
43	22962-006	1" Hardened Washer	8
44	08017-000	1"-14 UNS Locknut	8
45	19199-000	Top Pad (Casting No. 35431 or 48491) *Replaces 54112-000*	2
46	19201-002	¾"-10 UNC x 1¾" Internal Hex Head Set Screw	4
47	22962-006	1" Hardened Washer	16
48	08017-000	1"-14 UNS Locknut	8
49	72100-XXX	***One-piece Longitudinal Torque Rod Assembly, Straddle/Straddle, Specify Length in mm ULTRA ROD PLUS, Includes Key No. 51a	2
50		****One-piece Transverse Torque Rod Assembly, Straddle/Taper, Specify Length in mm	2
	72850-XXX	ULTRA ROD PLUS, Includes Key Nos. 51a-52a	
	92950-XXX	XTRB, Includes Key Nos. 51b-52b	
51		Straddle Bushing	6
a	64400-003L	ULTRA ROD PLUS	
b	66649-003L	XTRB	
52		Taper Bushing	2
a	64400-006L	ULTRA ROD PLUS	
b	66649-004L	XTRB	
53	46015-000	Torque Rod Bracket	4
54		*Transverse Torque Rod Axle Bracket	2
55	67779-002	Torque Rod Shim	As Req.
Not Shown	70867-001	P-80 Lubricant - 10 ml Per Rubber Bushing	1

■ Selection Guide

KEY NO. 2

RT/RTE CROSS TUBES

34K		34K • 40K • 46K • 48K		52K		65K • 70K	
Length	Part Number	Length	Part Number	Length	Part Number	Length	Part Number
33⅞"	44642-020	33⅞"	44643-027	46"	07622-003	34¾"	10397-015
36½"	44642-022	40¾"	44643-011	53"	07622-018	40"	10397-018
42"	44642-009	42"	44643-008	64"	07622-031	40¾"	10397-014
44⅞"	44642-008	44⅞"	44643-009	68"	07622-014	41"	10397-019
		46"	44643-003			41¾"	10397-009
		47"	44643-002			42"	10397-001
		48"	44643-001			42½"	10397-021
		49¼"	44643-024			43¼"	10397-017
		51"	44643-015			44¾"	10397-002
		53"	44643-018			46"	10397-010
		54½"	44643-017			46½"	10397-020
		57"	44643-010			47½"	10397-027
		64"	44643-028			50"	10397-013
		68"	44643-014			51¼"	10397-003
		77"	44643-029			52¾"	10397-006
						54"	10397-025
						56½"	10397-016
						61¼"	10397-008
						62¾"	10397-031
						67½"	10397-004
						75¾"	10397-029

KEY NO. 40

TOP PAD BOLTS

1" 14 UNS-2A	
Length	Part Number
8¼"	30550-018
8½"	30550-019
8¾"	30550-001
9"	30550-002
9¼"	30550-003
9½"	30550-004
9¾"	30550-005
10"	30550-006
10¼"	30550-007
10½"	30550-008
10¾"	30550-009
11"	30550-010
11¼"	30550-011
11½"	30550-012
11¾"	30550-013
12"	30550-014
16⅝"	30550-028

KEY NO. 3, Pages 3 and 5

♦Corresponding Center Bushing End Plug for Cross Tube Replacement – 34K through 52K Only

	Rubber Center Bushing Part Number	♦♦ End Plug Part Number
34K	06664-000L • 22279-000L	22278-000
34K • 40K	49400-000L • 49600-000L	22281-000
34K • 40K • 46K • 48K • 52K	29483-005L • 34013-097L	

♦ Hendrickson recommends for high capacity walking beam suspensions, removal of the equalizing beam to replace the cross tube. Refer to Hendrickson publication 17730-070 for 65K cross tube replacement.

♦♦ End Plugs are not needed if equipped with bronze center bushings.

NOTES* Not supplied by Hendrickson, used for reference only. Hendrickson is not responsible for components supplied by the vehicle manufacturer. For assistance with maintenance and rebuild instructions on these components see vehicle manufacturer.

** Item included in kit/assembly only, part not sold separately.

*** Hendrickson's part number is stamped on the torque rod for identification. Be sure to include the suffix number when ordering, this number indicates rod length. Hendrickson's two-piece ULTRA ROD • ULTRA ROD PLUS can be used to create the desired length, refer to Hendrickson Lit. No. 45745-148.

**** Transverse torque rods are mandatory for the RT/RTE rear suspension regardless of axle spacing, refer to Hendrickson Literature No. 59310-004 and 59310-058.

■ Special Tools

BAR PIN STYLE END BUSHING TOOLS

INSTALLATION TOOL

Hendrickson Part No. 66086-103

OTC Part No. 1757 Visit otctools.com



Use with the equalizing beam removed from the truck, and in conjunction with OTC No. 51100 press plate and a 100-ton hydraulic shop press.

REMOVAL TOOLS

Hendrickson Part No. 66086-104

OTC Part No. 206457 Visit otctools.com



Hendrickson Part No. 66086-105

OTC Part No. 302030 Visit otctools.com



ADAPTER STYLE END BUSHING TOOL SET • RUBBER CENTER BUSHING



28K-52K lb. Capacity Bushings

Hendrickson Part No. 66086-102

OTC Part No. 1764 Visit otctools.com

Use with the equalizing beam removed from the truck and a 100-ton or larger hydraulic shop press.




65K-85K lb. Capacity Bushings

Hendrickson Part No. 66086-101

OTC Part No. 1763 Visit otctools.com

RUBBER CENTER BUSHING TOOLS




40K lb. Capacity Bushings

Hendrickson Part No. 66086-100

OTC Part No. 1746 Visit otctools.com

TORQUE ROD BUSHING FUNNEL TOOLS



ULTRA ROD – Hendrickson Part No. 66086-001L

ULTRA ROD PLUS – Hendrickson Part No. 66086-000L

This is a general parts list to provide directional information. Components may vary by model. Questions in regards to parts, contact Hendrickson Truck Parts at 1.866.755.5968 (Toll-free U.S. and Canada), 630.910.2800 (Outside U.S. and Canada) or e-mail: truckparts@hendrickson-intl.com.

www.hendrickson-intl.com

HENDRICKSON

Truck Commercial Vehicle Systems
800 South Frontage Road
Woodridge, IL 60517-4904 USA

1.866.755.5968 (Toll-free U.S. and Canada)
630.910.2800 (Outside U.S. and Canada)
Fax 630.910.2899

SP-168 Rev F 01-17

Information contained in this literature was accurate at the time of publication. Product changes may have been made after the copyright date that are not reflected.
© 2004 – 2017 Hendrickson USA, L.L.C. All Rights Reserved

Printed in United States of America